

CAUTION



KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SlugOut[®]

All Weather Slug & Snail Bait

ACTIVE CONSTITUENT: 18g/kg METALDEHYDE



RAIN RESISTANT GRANULES

For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures.

DIRECTIONS FOR USE: All States
Restraint: DO NOT place granules in heaps.

Situation	Pest	Rate	Critical Comments
Fruit and vegetable crops	Snails and slugs	Broadcast: 20 kg/ha OR 200 g/100 m ²	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m ²	Scatter evenly.
Winter Cereals Oilseeds (including poppies) Pulses* Pasture establishment*	Common white snail (<i>Ceruella virgata</i>) White Italian snail (<i>Theba pisana</i>) Conical snail (<i>Cochlicella acuta</i>) Grey field slug (<i>Decoceras reticulatum</i>)	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures. * Pulse and Pasture crops only: SlugOut is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK

Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. Although SlugOut granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

Shake container empty into application equipment. DO NOT dispose of undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Poisonous if swallowed. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet which can be obtained from your supplier or from the Crop Care website: www.cropcare.com.au

Conditions of Sale

Crop Care Australasia will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality


of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 498 ALL HOURS - AUSTRALIA WIDE
---	---

*SlugOut' is a Registered Trade Mark



APVMA Approval No.: 49324/10kgB/0909
 9-09/WM/A1089-20K



NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD:

Harvest
 Fruit and Vegetables, Gardens, Small crops: **DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.**
 Pulses, Oilseeds (including poppies), Winter cereals: **NOT REQUIRED WHEN USED AS DIRECTED.**

Grazing

Pastures, Pulses, Oilseeds (including poppies), Winter cereals: **DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.**

GENERAL INSTRUCTIONS

Ensure protection of seedlings and mature plants with regular applications of this product.

Application

Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

PRECAUTIONS

DO NOT apply to edible plant parts.
 DO NOT graze or cut for stockfeed any crops while SlugOut granules are visible in the plant foliage.

NET CONTENTS : 10kg

CAUTION

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SlugOut[®]

All Weather Slug & Snail Bait

ACTIVE CONSTITUENT: 18g/kg METALDEHYDE



For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures.

DIRECTIONS FOR USE: All States
Restraint: DO NOT place granules in heaps.

Situation	Pest	Rate	Critical Comments
Fruit and vegetable crops	Snails and slugs	Broadcast: 20 kg/ha OR 200 g/100 m ²	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m ²	Scatter evenly.
Winter Cereals Oilseeds (including poppies) Pulses* Pasture establishment*	Common white snail (<i>Ceruella virgata</i>) White Italian snail (<i>Theba pisana</i>) Conical snail (<i>Cochlicella acuta</i>) Grey field slug (<i>Decoceras reticulatum</i>)	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures. * Pulse and Pasture crops only: SlugOut is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
 DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK
 Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. Although SlugOut granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

STORAGE AND DISPOSAL
 Store in the closed, original container in a dry, cool, well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.
 Shake container empty into application equipment. DO NOT dispose of undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS
 Poisonous if swallowed. Wash hands after use.

FIRST AID
 If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET
 Additional information is listed in the Material Safety Data Sheet which can be obtained from your supplier or from the Crop Care website: www.cropcare.com.au

Conditions of Sale
 Crop Care Australasia will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality

of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 498 ALL HOURS - AUSTRALIA WIDE
--	---

'SlugOut' is a Registered Trade Mark

Crop Care Australasia Pty Ltd
 A.C.N. 061 362 347
 Unit 15/16 Metroplex Avenue
 MURARRIE Qld 4172
 Tel: (07) 3909 2000

APVMA Approval No.: 49324/20kgB/0909
 9-09/WM/A1089-20K



BN
 DOM

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD:
Harvest
 Fruit and Vegetables, Gardens, Small crops: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.
 Pulses, Oilseeds (including poppies), Winter cereals: NOT REQUIRED WHEN USED AS DIRECTED.

Grazing
 Pastures, Pulses, Oilseeds (including poppies), Winter cereals: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS
 Ensure protection of seedlings and mature plants with regular applications of this product.

Application
 Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

PRECAUTIONS
 DO NOT apply to edible plant parts.
 DO NOT graze or cut for stockfeed any crops while SlugOut granules are visible in the plant foliage.

NET CONTENTS : 20kg

CAUTION

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SlugOut®

All Weather Slug & Snail Bait

ACTIVE CONSTITUENT: 18g/kg METALDEHYDE



For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures

NET CONTENTS: 150kg

Crop Care Australasia Pty Ltd, Unit 15/16 Metroplex Avenue, Murarrie QLD 4172

DIRECTIONS FOR USE: All States
Restraint: DO NOT place granules in heaps.

Situation	Pest	Rate	Critical Comments
Fruit and vegetable crops	Snails and slugs	Broadcast: 20 kg/ha OR 200 g/100 m ²	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m ²	Scatter evenly.
Winter Cereals Oilseeds (including poppies)	Common white snail (<i>Ceruella virgata</i>) White Italian snail (<i>Theba pisana</i>) Conical snail (<i>Cochlicella acuta</i>) Grey field slug (<i>Decoceras reticulatum</i>)	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures. * Pulse and Pasture crops only: SlugOut is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).
Pulses* Pasture establishment*			

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS:

Harvest
 Fruit and Vegetables, Gardens, Small crops:
DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.
 Pulses, Oilseeds (including poppies), Winter cereals: **NOT REQUIRED WHEN USED AS DIRECTED.**

Grazing
 Pastures, Pulses, Oilseeds (including poppies), Winter cereals: **DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.**

GENERAL INSTRUCTIONS
 Ensure protection of seedlings and mature plants with regular applications of this product.

Application
 Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

PRECAUTIONS
 DO NOT apply to edible plant parts.
 DO NOT graze or cut for stockfeed any crops while SlugOut granules are visible in the plant foliage.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
 DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK
 Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be

fatal. Although SlugOut granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

HANDLING INSTRUCTIONS
 To avoid personal injury where lifting of the container is required, DO NOT attempt to manually handle or elevate this pack to fill fertilizer combines or spreaders. When lifting the container, use appropriate drum handling equipment. If appropriate lifting equipment is not available, smaller pack sizes should be used.

STORAGE AND DISPOSAL
 Store in the closed, original container in a cool, well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight. Triple rinse container before disposal. Dispose of rinsate or any undiluted chemical according to State and Territory legislative requirements. DO NOT dispose of any undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS
 Poisonous if swallowed. Wash hands after use.


FIRST AID
 If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET
 Additional information is listed in the Material Safety Data Sheet which can be obtained from your supplier or from the Crop Care website: www.cropcare.com.au

Conditions of Sale
 Crop Care Australasia will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 498 ALL HOURS - AUSTRALIA WIDE
---	--

'SlugOut' is a Registered Trade Mark



Crop Care
 Crop Care Australasia Pty Ltd
 A.C.N. 061 362 347
 Unit 15/16 Metroplex Avenue
 MURARRIE Qld 4172
 Tel: (07) 3909 2000

APVMA Approval No.: 49324/150kg/0909

9-09/WM/A1089-150K

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SlugOut[®]

*All Weather
Slug & Snail Bait*



ACTIVE CONSTITUENT : 18g/kg METALDEHYDE

For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures.

Rain Resistant
Granules

NET CONTENTS: 5kg

DIRECTIONS FOR USE: All States**Restraint :** DO NOT place granules in heaps.

Situation	Pest	Rate	Critical Comments
Fruit and vegetable crops	Snails and slugs	Broadcast: 20 kg/ha OR 200 g/100m ²	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m ²	Scatter evenly.
Winter Cereals Oilseeds (including poppies) Pulses* Pasture establishment*	Common white snail (<i>Ceruella virgata</i>) White Italian snail (<i>Theba pisana</i>) Conical snail (<i>Cochlicella acuta</i>) Grey field slug (<i>Decoceras reticulatum</i>)	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures. * Pulse and Pasture crops only: SlugOut is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS**Harvest**

Fruit and Vegetables, Gardens, Small crops: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.

Pulses, Oilseeds (including poppies), Winter cereals: NOT REQUIRED WHEN USED AS DIRECTED.

Grazing

Pastures, Pulses, Oilseeds (including poppies), Winter cereals: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS

Ensure protection of seedlings and mature plants with regular applications of this product.

Application

Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

PRECAUTIONS

DO NOT apply to edible plant parts.

DO NOT graze or cut for stockfeed any crops while SlugOut granules are visible in the plant foliage.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK

Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. Although SlugOut granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

Triple rinse container before disposal. Dispose of rinsate or any undiluted chemical according to State and Territory legislative requirements. DO NOT dispose of any undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Poisonous if swallowed. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet which can be obtained from your supplier or from the Crop Care website: www.cropcare.com.au

Conditions of Sale

Crop Care Australasia will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 498 ALL HOURS - AUSTRALIA WIDE
--	---

'SlugOut' is a Registered Trade Mark.



Crop Care Australasia Pty Ltd
A.C.N. 061 362 347
Unit 15/16 Metroplex Avenue
Murarrie Qld 4172
Tel: (07) 3909 2000

Bar code to
be inserted
here

APVMA Approval No. : 49324/5kg/0909

BN

DOM

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SlugOut[®]

*All Weather
Slug & Snail Bait*



ACTIVE CONSTITUENT : 18g/kg METALDEHYDE

For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures.

Rain Resistant
Granules

NET CONTENTS: 10kg

DIRECTIONS FOR USE: All States**Restraint :** DO NOT place granules in heaps.

Situation	Pest	Rate	Critical Comments
Fruit and vegetable crops	Snails and slugs	Broadcast: 20 kg/ha OR 200 g/100m ²	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m ²	Scatter evenly.
Winter Cereals Oilseeds (including poppies) Pulses* Pasture establishment*	Common white snail (<i>Ceruella virgata</i>) White Italian snail (<i>Theba pisana</i>) Conical snail (<i>Cochlicella acuta</i>) Grey field slug (<i>Decoceras reticulatum</i>)	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures. * Pulse and Pasture crops only: SlugOut is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS**Harvest**

Fruit and Vegetables, Gardens, Small crops: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.

Pulses, Oilseeds (including poppies), Winter cereals: NOT REQUIRED WHEN USED AS DIRECTED.

Grazing

Pastures, Pulses, Oilseeds (including poppies), Winter cereals: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS

Ensure protection of seedlings and mature plants with regular applications of this product.

Application

Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

PRECAUTIONS

DO NOT apply to edible plant parts.

DO NOT graze or cut for stockfeed any crops while SlugOut granules are visible in the plant foliage.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK

Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. Although SlugOut granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

Triple rinse container before disposal. Dispose of rinsate or any undiluted chemical according to State and Territory legislative requirements. DO NOT dispose of any undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Poisonous if swallowed. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet which can be obtained from your supplier or from the Crop Care website: www.cropcare.com.au

Conditions of Sale

Crop Care Australasia will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 498 ALL HOURS - AUSTRALIA WIDE
--	---

'SlugOut' is a Registered Trade Mark.



Crop Care Australasia Pty Ltd
A.C.N. 061 362 347
Unit 15/16 Metroplex Avenue
Murarrie Qld 4172
Tel: (07) 3909 2000

Bar code to
be inserted
here

APVMA Approval No. : 49324/10kgA/0909

BN

DOM

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SlugOut[®]

*All Weather
Slug & Snail Bait*



ACTIVE CONSTITUENT : 18g/kg METALDEHYDE

For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures.

Rain Resistant
Granules

NET CONTENTS: 20kg

DIRECTIONS FOR USE: All States**Restraint :** DO NOT place granules in heaps.

Situation	Pest	Rate	Critical Comments
Fruit and vegetable crops	Snails and slugs	Broadcast: 20 kg/ha OR 200 g/100m ²	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m ²	Scatter evenly.
Winter Cereals Oilseeds (including poppies) Pulses* Pasture establishment*	Common white snail (<i>Cermea virgata</i>) White Italian snail (<i>Theba pisana</i>) Conical snail (<i>Cochlicella acuta</i>) Grey field slug (<i>Decoceras reticulatum</i>)	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures. * Pulse and Pasture crops only: SlugOut is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS**Harvest**

Fruit and Vegetables, Gardens, Small crops: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.

Pulses, Oilseeds (including poppies), Winter cereals: NOT REQUIRED WHEN USED AS DIRECTED.

Grazing

Pastures, Pulses, Oilseeds (including poppies), Winter cereals: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS

Ensure protection of seedlings and mature plants with regular applications of this product.

Application

Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

PRECAUTIONS

DO NOT apply to edible plant parts.

DO NOT graze or cut for stockfeed any crops while SlugOut granules are visible in the plant foliage.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK

Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. Although SlugOut granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

Triple rinse container before disposal. Dispose of rinsate or any undiluted chemical according to State and Territory legislative requirements. DO NOT dispose of any undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Poisonous if swallowed. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet which can be obtained from your supplier or from the Crop Care website: www.cropcare.com.au

Conditions of Sale

Crop Care Australasia will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 498 ALL HOURS - AUSTRALIA WIDE
--	---

'SlugOut' is a Registered Trade Mark.



Crop Care Australasia Pty Ltd
A.C.N. 061 362 347
Unit 15/16 Metroplex Avenue
Murarrie Qld 4172
Tel: (07) 3909 2000

Bar code to
be inserted
here

APVMA Approval No. : 49324/20kgA/0909

BN

DOM