

Product Name: Vanquish Pro Ant Bait
APVMA Approval No: 84966/127288



Label Name:	Vanquish Pro Ant Bait
Signal Headings:	KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	0.06 g/kg FIPRONIL
Mode of Action:	GROUP 2B INSECTICIDE
Statement of Claims:	Ready to use insecticidal bait for the control of certain nuisance ants in and around domestic and commercial and institutional buildings, ecological and conservation areas.
Net Contents:	325 g
Restraints:	DO NOT apply if heavy rains or storms are forecast within 3 days
Directions for Use:	See attached. This section contains file attachment.
Other Limitations:	
Withholding Periods:	NOT REQUIRED WHEN USED AS DIRECTED.
Trade Advice:	

General Instructions:	There may be variations in moisture content between cartridges. This will not alter the bait's attractiveness to ants nor its effectiveness. This product is a fresh bait made of natural ingredients without preservative. Therefore, once the cartridge is opened use entire contents in one treatment and do not reseal
-----------------------	--

Resistance Warning:	<p>For insecticide resistance management Vanquish Pro Ant Bait is a Group 2B insecticide. Some naturally occurring insect biotypes resistant to Vanquish Pro Ant Bait and other Group 2B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Vanquish Pro Ant Bait or other Group 2B insecticides are used repeatedly. The effectiveness of Vanquish Pro Ant Bait on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Garrards Pty Ltd accepts no liability for any losses that may result from the failure of Vanquish Pro Ant Bait to control resistant insects.</p> <p>Vanquish Pro Ant Bait may be subject to specific resistance management strategies. For further information contact your local supplier, Garrards Pty Ltd or local agricultural department agronomist.</p>
---------------------	--

Precautions:	<p>DO NOT apply directly to food, food packaging or food contact surfaces</p> <p>DO NOT place in exposed areas accessible to children, pets and other animals</p>
--------------	---

Protections:	<p>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</p> <p>Toxic to native mammals and birds. However, the use of this product as directed is not expected to have adverse effects on birds or other wildlife.</p> <p>Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.</p> <p>PROTECTION OF HONEY BEES AND OTHER INSECT POLLINATORS</p> <p>Highly toxic to bees. Harmful to bee brood. DO NOT apply while bees are actively foraging.</p>
--------------	---

Storage and Disposal:	<p>STORAGE:</p> <p>Store in the closed original container in a cool well-ventilated place out of the reach of children. Do not store in direct sunlight.</p> <p>DISPOSAL:</p> <p>Only dispose of contents in treatment areas. Break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p>
-----------------------	---

Safety Directions:	May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use.
--------------------	---

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.
-------------------------	--

First Aid Warnings:	
---------------------	--

Situation	Pest	Rate	Critical Comments
In and around domestic and commercial and institutional buildings (eg hospitals, aged care facilities, schools, food processing areas, offices, shops, motels, ships)	Nuisance ants including: Black house ant (<i>Ochetellus glaber</i>) White footed house ant (<i>Technomyrmex albipes</i>), Pavement ant (<i>Tetramorium</i> sp.) and Argentine ant (<i>Linepithema humile</i>)	Medium ant infestations: One cartridge per 1100 square metres (equivalent to 3kg/ha). Heavy ant infestations: One cartridge per 550 square metres (equivalent to 6 kg/ha).	The extent and density of the ant population should be assessed before treatment so that the correct rate of bait is applied. Remove cartridge from vac bag. Cut tip from bait cartridge and place in dispensing unit. Squeeze small amounts of bait at regular intervals of 1.5-2.5 metres into cracks, crevices and shady places where ants are seen. Repeat if ants re-invade the treated areas or after 12 months.
Ecological and conservation areas			

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION