

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

PYROCID[®]

MOSQUITO ADULTICIDE

UV EXTRA STRENGTH CONCENTRATE

ACTIVE CONSTITUENT: 118 g/L PYRETHRINS, 592 g/L PIPERONYL BUTOXIDE

SOLVENT: 276 g/L HYDROCARBON LIQUID

GROUP 3A INSECTICIDE

A concentrate for dilution with a suitable mineral oil.
For outdoor control mosquitoes as per the Directions for Use table.

RECOMMENDED FOR COMMERCIAL OR INDUSTRIAL USE



SUMITOMO CHEMICAL

Sumitomo Chemical Australia Pty Ltd
ABN: 21 081 096 255
51 Rawson Street Epping NSW 2121
Phone: (02) 8752 9000

® Registered trademark of McLaughlin Gormley King Company.

CONTENTS: 5 L

39958955.01

DIRECTIONS FOR USE

SITUATION	PEST	RATE	CRITICAL COMMENTS
Outdoors, including picnic areas, sports grounds, recreation area and in mosquito eradication campaigns	Mosquitoes	24 mL/ha	Dilute with suitable volume of oil or kerosene. Using thermal fogging or cold aerosol generating ULV equipment, hand-held or knapsack sprayer, spray into air or onto infested area. Apply at time of day when target species is most active. Repeat when necessary, as determined by management practices and environment conditions.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

GENERAL INSTRUCTIONS

Insecticide Resistance Warning

GROUP **3A** INSECTICIDE

For insecticide resistance management PYROCIDE® Mosquito Adulticide ULV Extra Strength Concentrate is a Group 3A insecticide.

Some naturally occurring insect biotypes resistant to PYROCIDE Mosquito Adulticide ULV Extra Strength Concentrate and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individual can eventually dominate the insect population if PYROCIDE Mosquito Adulticide ULV Extra Strength Concentrate or other Group 3A insecticides are used repeatedly. The effectiveness of PYROCIDE Mosquito Adulticide ULV Extra Strength Concentrate on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Sumitomo Chemical Australia Pty Ltd. accepts no liability for any losses that may result from the failure of PYROCIDE Mosquito Adulticide ULV Extra Strength Concentrate to control resistant insects. PYROCIDE Mosquito Adulticide ULV Extra Strength Concentrate may be subject to specific resistance management strategies. For further information contact your local supplier or Sumitomo Chemical Australia Pty Ltd. representative.

Mixing and Equipment

PYROCIDE Mosquito Adulticide ULV Extra Strength Concentrate may be used undiluted or diluted with a suitable volume of oil or kerosene according to the equipment manufacturer's recommendations for the output rates required. PYROCIDE Mosquito Adulticide ULV Extra Strength Concentrate may be sprayed with cold aerosol generating ULV equipment, into the air or onto infested areas. Repeat when necessary, as determined by management practices and environment conditions.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF LIVESTOCK

Dangerous to bees. **DO NOT** spray any plants in flower while bees are foraging.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Avoid contact with eyes and skin. **DO NOT** inhale spray mist. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone 131126). If swallowed **DO NOT** induce vomiting. Give a glass of water.

Additional information is listed in the Material Safety Data Sheet available from Sumitomo Chemical Australia Pty Ltd.

EXCLUSION OF LIABILITY

This product as supplied is of a high grade and suitable for the purpose for which it is expressly intended and must be used in accordance with the directions. The user must monitor the performance of any product as climatic, geographical or biological variables and/or developed resistance may affect the results obtained. No responsibility is accepted in respect of this product, save for those non-excludable conditions implied by the Trade Practices Act or any State or Federal legislation.

**IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE**

**SPECIALIST ADVICE IN EMERGENCY ONLY
1800 024 973
ALL HOURS AUSTRALIA WIDE**



APVMA Approval No.: 54597/0904

39958855.01

Batch No:

Date of Manufacture:

