

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Dow AgroSciences

UptakeTM

Spraying Oil

ACTIVE CONSTITUENTS: 582 g/L PARAFFINIC OIL
240 g/L ALKOXYLATED ALCOHOL NON-IONIC SURFACTANTS

A spraying oil to improve the spreading and wetting of crop protection products on plant surfaces as specified in the Directions For Use.

Specimen Label

Dow AgroSciences Australia Limited ABN 24 003 771 659
20 Rodborough Road FRENCHS FOREST NSW 2086
www.dowagrosciences.com.au

CUSTOMER SERVICE TOLL FREE 1-800 700 096

® TM Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow



Dow AgroSciences

DIRECTIONS FOR USE

Important: Prior to use, read all directions on this label and on the label of the product(s) being used. The product(s) label for specific usage and restrictions have precedence over Directions For Use referred to on this label.

Uptake™ Spraying Oil is compatible with a wide range of herbicides including:

Achieve® WG Herbicide, Aramo® Herbicide, atrazine, Axial® Herbicide, Barnstorm™ Herbicide, Broadstrike™ Herbicide, bromoxynil, bromoxynil/MCPA, Cadence® Herbicide, Cheetah Gold® Herbicide, Conclude™ Herbicide, Decision® Herbicide, Eclipse® Herbicide, Fusilade® WG, Fusion® WG, Garlon™ 600 Herbicide, Goal™ Herbicide, Grazon™ DS Herbicide, Grazon™ Extra Herbicide, Hotshot™ Herbicide, Lontrel™ Herbicide, Lontrel™ 750 SG Herbicide, Dow AgroSciences LV 600 MCPA Herbicide, Canvas™ 750 Selective Herbicide, Mataven 90® Herbicide, Pledge® 500 WG Herbicide, quizalofop, Ripper™ 480 Herbicide, Select® Herbicide, simazine, Status® Herbicide, Starane™ 200 Herbicide, Starane™ Advanced Herbicide, Targa® Herbicide, Topik® 240 EC Herbicide, Tordon™ 242 Herbicide, Tordon™ 75-D Herbicide, Torpedo™ Herbicide, Verdict™ 520 Herbicide, X-Pand™ Herbicide.

Uptake™ Spraying Oil is compatible with the following fungicides including:

Indar™ Fungicide, Propimax™ Fungicide, flutriafol, triadimefon and tebuconazole.

© Other Registrants

Granular formulations – when mixing with granular formulations, excellent agitation is required. Contact Dow AgroSciences or the manufacturer of the product(s) for more information.

SITUATIONS

Broadacre Cropping including fallow (except sugarcane)

Where specified use 500 mL Uptake/100 L water, applying a minimum of 250 mL of Uptake per hectare. For weed control in rice use 1000 mL Uptake/100 L water, applying a minimum of 500 mL of Uptake per hectare.

Sugarcane Defoliation

Where specified use 1 L Uptake /100 L water, applying a minimum of 500 mL of Uptake per hectare.

Spot and High Volume Spraying

Where specified use 500 mL Uptake /100 L water, applying to the point of run-off.

Horticulture

Uptake is compatible with Verdict 520 Herbicide for horticultural uses. Use 500 mL Uptake /100 L water, applying a minimum of 250 mL of Uptake per hectare.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD

Adhere to the withholding period(s) specified on the label of the companion product(s) used.

MIXING

These are general mixing instructions. Always follow mixing instructions of each ingredient in tank-mix. Ensure product compatibility. Recommendations on other product labels take precedence over mixing instructions on this label.

Add water to the spray tank to 10 cm above the level of agitation and ensure the agitation device is working vigorously. (There must be a minimum of 100 L of water in the tank before any pesticide is added.)

If tank mixing, use the following general order for mix partners. First add water dispersible granules (eg. Broadstrike), second add flowable formulations (eg. atrazine), third add emulsifiable concentrates (eg. Verdict 520), fourth add water soluble liquids (eg. Lontrel Herbicide) and last Uptake Spraying Oil. Between the addition of each ingredient allow at least one minute to ensure thorough mixing before the next tank-mix partner is added.

Finally add Uptake Spraying Oil. Continue filling the tank to the required volume maintaining agitation at all times. Only mix sufficient solution for immediate use.

Verdict 520 and any other tank-mixes should be applied immediately for best results.

STORAGE OF SPRAY SOLUTION

Agitate for 1 hour every 8 hours, and agitate for 1 hour before spraying out where spray solution is not applied within 8 hours of mixing.

Agitate sooner and/or for longer to maintain quality of spray solution, if recommended on partner product labels.

CLEANING SPRAY EQUIPMENT

The presence of the product(s) makes it essential for the spray equipment to be cleaned between different applications.

To rinse and decontaminate spray equipment refer to the relevant product labels for instructions.



PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

EXPLOSION WARNING: Apparently "EMPTY" containers may contain liquid and/or vapour residue which can be explosive if exposed to an ignition source at temperatures above 90°C. Such conditions may occur during cutting or welding. **DO NOT** cut or weld these containers. Explosion may cause injury or death.

Store in the tightly closed original container in a securely locked, well ventilated place, out of direct sunlight.

DO NOT store near food, feedstuffs, fertiliser or seed.

DO NOT reuse 1 L containers.

DO NOT reuse 5 L containers.

DO NOT reuse 10 L containers.

DO NOT reuse 20 L containers.

The method of disposal of the container depends on the container type. Read the STORAGE AND DISPOSAL instructions on the label that is attached to the container.

SMALL SPILL MANAGEMENT

Do not touch or walk through spilled material. Wear a face shield or goggles, overalls buttoned to neck and wrist, chemical resistant gloves and footwear. Stop leak when safe to do so. Dam area and prevent entry into waterways, and drains.

Small spills/leaks: Absorb with material such as sand, soil or sawdust. Collect spilled product and place in sealable container for disposal. Spill residues may be cleaned using water and detergent. Contain and absorb wash water for disposal. Absorb and collect washings and place in the same sealable container for disposal. Dam the area of large spills and report them to Dow AgroSciences Emergency Services at 1-800 033 882.

SAFETY DIRECTIONS

- Will irritate the eyes.
- May irritate the skin.
- Avoid contact with eyes and skin.
- When opening the container and preparing spray wear elbow-length PVC gloves and face-shield or goggles.
- If product in eyes, wash out immediately with water.
- Wash hands after use.
- After each day's use wash gloves, face-shield or goggles.

FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone: *Australia* 13 11 26.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet for **UPTAKE™ SPRAYING OIL** which is available from Dow AgroSciences on request. Call Customer Service Toll Free on 1-800 700 096 or visit www.dowagrosciences.com.au

® TM Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

APVMA Approval No: 41255/55310

**EMERGENCY RESPONSE
(ALL HOURS)
RING FROM ANYWHERE
IN AUSTRALIA
1-800 033 882
(LOCAL CALL FEE ONLY)**

IN A TRANSPORT
EMERGENCY ONLY
DIAL 000
FOR POLICE OR
FIRE BRIGADE



Dow AgroSciences