CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



DELTRARESIDUAL INSECTICIDE

Active Constituents: 10 g/L DELTAMETHRIN 10 g/L D-TETRAMETHRIN 20:80 80 g/L PIPERONYL BUTOXIDE

GROUP 3A INSECTICIDE

For the control of a range of insect pests in various situations.

To be used by licensed Pest Control Operators only (except for timber treatment).

A & C RURAL PTY LTD ABN 52 010 865 317 LOT 96 POTASSIUM STREET NARANGBA QLD 4504 PH: (07) 3203 3944

Batch no: Contents: **

D.O.M. NRA Approval no: 54682/0202

** THIS LABEL TO BE USED FOR 1L, 2.5L, 5L, 10L, 20L

GENERAL INSTRUCTIONS

Insecticide Resistance Warning

For insecticide resistance management, Country Deltra Residual Insecticide is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to Country Deltra Residual Insecticide and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Country Deltra Residual Insecticide or other Group 3A insecticides are used repeatedly. The effectiveness of Country Deltra Residual Insecticide on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, A & C Rural Pty Ltd accepts no liability for any losses that may result from the failure of Country Deltra Residual Insecticide to control resistant insects. Country Deltra Residual Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier or A & C Rural representative.

Mixing / Application

Invert original container before use. For best results, form a premix of the required amount of product with an equal volume of water. Stir thoroughly. Add to spray tank and dilute with remaining amount of water. Agitate thoroughly. Do not store diluted insecticide. Prepare a fresh solution as necessary. Do not spray the moving parts of any machinery, electric motors or switchgear with the water-based product.

PRECAUTIONS

AVOID CONTACT WITH FOOD, FOOD UTENSILS, OR PLACES WHERE FOOD IS PREPARED OR STORED. <u>BEFORE USE</u> REMOVE OR COVER ALL EXPOSED FOODSTUFFS. COVER ALL DISHES AND UTENSILS, AND PLACES WHERE FOOD IS PREPARED OR STORED. <u>AFTER USE</u> -THOROUGHLY VENTILATE TREATED AREA. CLEANUP THOROUGHLY BEFORE PROCESSING/SERVING RESUMES.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Harmful if swallowed. Facial skin contact may cause temporary facial numbness. Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face-shield and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons information Centre (Phone 13 11 26).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet available from A & C Rural Pty Ltd.

EXCLUSION OF LIABILITY

The use of Country Deltra Residual Insecticide being beyond the control of the manufacturer no warranty expressed or implied is given by A & C Rural Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and A & C Rural Pty Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

DIRECTIONS FOR USE

27/04/05

SITUATION	PEST	RATE	CRITICAL COMMENTS
Houses, flats, factories, shops, warehouses, restaurants, hospitals, hotels, kitchens	Ants, cockroaches, fleas, silverfish, spiders	Initial treatments: 150 mL Maintenance treatments: 75 mL.	On non-porous surfaces dilute with 5L of water. On porous surfaces up to 10L of water may be used. Apply to 100 m² of surface, not exceeding the point of run-off. Apply to skirting boards, floors and carpets, cupboards, behind sinks, stoves and pipes, paying particular attention to cracks and crevices. Also apply to exposed areas where insects are seen, and known hiding places.
	Bird mites	75 mL	
	Carpet beetles, clothes moths	Initial treatments: 150 mL Maintenance treatments: 75 mL	Apply to infested area of carpet, particularly around the edges and under furniture.
	Bed bugs		Treat cracks and crevices in bed frames and the adjacent walls.
	Houseflies, mosquitoes	75 mL	Apply to all exposed surfaces where flies or mosquitoes may rest.
Freshly felled pine logs prior to debarking	Five spined bark beetle, lps grandicollis	100 mL	Dilute with 10 L of water and apply through knapsack or power sprayer at the rate of 10 L per 100 m ² of surface area.
Freshly felled logs, poles and posts Newly sawn timber	Furniture beetles, F. Anobiidae., auger beetles, F. Bostrychidae; powder post beetles, F. Lyctidae		NB: for best results apply promptly after felling or sawing operations

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.