Kamba M

Selective broadleaf weed control in turf and lawns

Available in 5L, 20L and 1L packs



WEEDS CONTROLLED IN TURF

All States

Bindy-eye Capeweed

Cats-ear

Chickweed Clovers

Cotula Creeping oxalis

Cudweed

Dandelion

Dock Fleabane

Fumitory

Jo-Jo (Onehunga) Lamb's tonque

Medics

Mustard

Narrow leaf plaintain Pearlwort

Pennywort

Peppercress Radish

Scarlet pimpernel

Thistles

Toad rush

Wild turnip

Wireweed/Hogweed

Qld, NSW, Tas, SA & WA only

Fat hen Purple top

Red-flowered mallow

Staggerweed Swinecress

APPLICATION RATES FOR VARIOUS TURF/LAWN SITUATIONS

Small Turf areas, Golf Tee's & Greens

100mL / 15L water sprayed evenly over 150 square metres

Bowling Greens

900mL / 200L water sprayed evenly over 1,400 square metres

Large Turf areas - Fields, Parks & Golf Fairways

6.5L / 250-400L water per hectare (10,000 square metres)

HANDY HINTS WHEN SPRAYING KAMBA M

Do not use on Lippia

For best results

Do not mow turf for at least 2 days before or after application.

Do not spray when rain seems likely to occur within 4 hours.

Do not spray when weeds are wet with dew or rain.

Do not spray if soil fertility is low or if soil is water logged.

Do not spray weeds under stress (heat or water logging etc).

Only spray actively growing weeds.

Ensure thorough wetting of all weed foliage.

Do not fertilise turf for 2 weeks after spraying.

Think about spraying safely

Do not spray during windy conditions.

Do not allow spray to contact any non-target plants.

Do not apply over root zones of non-target plants.

Think about clean-up after spraying

Thoroughly rinse and clean application equipment after use. Follow label directions for safe handling, storage and disposal.

ALWAYS READ THE LABEL

For more information contact your nearest Nufarm State Office.

WA (08) 9411 4000. SA (08) 8262 5999. VIC (03) 9282 1047. TAS (03) 6391 1966. QLD (07) 3893 8777. NSW (02) 6884 8180.

